



■ GEBERIT

GEBERIT CONCEALED  
CISTERNS

# COVERT AFFAIRS

DESIGN  
MEETS  
FUNCTION



# WHERE TWO WORLDS CONNECT

When you trigger an actuator plate you push the point where design meets function. Behind every Geberit actuator plate you find a Geberit concealed cistern. Find out more about their fields of application, advantages and technical details.



ACTUATOR PLATES    CONCEALED CISTERNS    GEBERIT SIGMA    GEBERIT OMEGA    GEBERIT ALPHA

## CONTENT

<b>GEBERIT ACTUATOR PLATES OVERVIEW</b> What you see is what you get. The Geberit actuators are the only part of the concealed cisterns that you see and touch several times a day. Find the applications and an overview.	05
<b>INTRODUCTION TO THE GEBERIT CONCEALED CISTERNS</b> There is a long history behind the Geberit concealed cisterns. Find out more about the background and the advantages.	10
<b>GEBERIT SIGMA CISTERNS</b> Geberit Sigma cisterns are providing a lot of possibilities for high-class design in your bathroom.	14
<b>GEBERIT OMEGA CISTERNS</b> Geberit Omega cisterns offer solutions for low height applications.	22
<b>GEBERIT ALPHA CISTERNS</b> Geberit Alpha cisterns are the latest members of the family.	26
<b>THE PERFECT MATCH</b> Recommendations for your bathroom	30
<b>TECHNICAL INFORMATION</b> When do you install which cistern?	36
<b>OVERVIEW OF ALL CISTERNS</b>	38

## GEBERIT ACTUATORS FOR EVERY APPLICATION TRIGGER POINTS

The Geberit actuator plates not only come in a large variety of designs, but also for every application. Be it at home, in a semi-public place like a hospital, or in a public place with a high traffic like e.g. an airport: there is an actuator plate for every requirement.






**FEEL AT HOME**  
For the bathroom at home all options are available: there is a vast variety of designs to choose from, single flush, dual flush or stop-and-go flush. Even touchless solutions might be interesting, depending on your needs and bathroom design.



**SEMI-PUBLIC SOLUTIONS**  
For hotels, restaurants or hospitals there are a lot of touchless actuators available that even offer a dual flush system, helping you saving water. Of course all aspects of hygienic requirements are covered.



**HIGH-TRAFFIC PUBLIC PLACES**  
If you run a public toilet at a train station, an airport or in a night-club, you go for the vandal-proof actuators made of stainless steel. The infrared steered actuators that offer a single flush, cleaning automatically after every use, should also be in the centre of attention.





**SIGMA01**  
• Dual flush  
• 246 mm x 164 mm



→ 115.770.11.5 (plastic)  
**white alpine**



→ 115.770.21.5 (plastic)  
**bright chrome-plated**



→ 115.770.KA.5 (plastic)  
**bright chrome/matt chrome**



→ 115.770.DW.5 (plastic)  
**black**



→ 115.770.DT.5 (plastic)  
**special brass (colour)**



→ 115.770.JQ.5 (plastic)  
**matt chrome\*\*\***



→ 115.770.LA.5 (plastic)  
**white/yellow/green**



→ 115.770.LB.5 (plastic)  
**white/blue/red**

**MAMBO**  
• Stop-and-go flush  
• 246 mm x 164 mm



→ 115.751.00.1 \*  
(stainless steel)  
**stainless steel brushed**



Learn more about the Geberit product range and visit our actuator plate configurator at  
→ [www.geberit-global.com/showroom](http://www.geberit-global.com/showroom)

**SIGMA10**  
• Stop-and-go flush  
• 246 mm x 164 mm



→ 115.758.KJ.5 (plastic)  
**white/bright chrome**



→ 115.758.JT.5 (plastic)  
**white matt/bright chrome\*\*\***



→ 115.758.KK.5 (plastic)  
**white/gold-plated**



→ 115.758.01.5 (plastic)  
**white matt**




→ 115.758.KH.5 (plastic)  
**bright chrome/matt chrome**




→ 115.758.JQ.5 (plastic)  
**matt chrome/bright chr\*\*\***




→ 115.758.SN.5  
→ 115.787.SN.5 \*  
(stainless steel)  
**stainless steel brushed/  
polished**



→ 115.758.16.5 (plastic)  
**black matt/b.5 (plastic)**



→ 115.758.KM.5 (plastic)  
**black/bright chrome**



→ 115.758.14.5 (plastic)  
**black matt/bright chrome\*\*\***



→ 115.890.SN.6 \*\*  
with manual override <sup>1</sup>  
(stainless steel)  
**stainless steel brushed/  
polished <sup>2</sup>**



→ 115.890.DW.6\*\*  
with manual override <sup>1</sup>  
(stainless steel)  
**black/matt black <sup>2</sup>**

**SIGMA10 IR <sup>12</sup>**  
• Touchless, electronic  
• 246 mm x 164 mm



→ 115.907.KJ.6 (plastic)  
**white/bright chrome <sup>2</sup>**



→ 115.907.KK.6 (plastic)  
**white/gold-plated <sup>2</sup>**



→ 115.907.KL.6 (plastic)  
**white/matt chrome <sup>2</sup>**



→ 115.907.KH.6 (plastic)  
**bright chrome/matt chrome <sup>2</sup>**




→ 115.907.JQ.6 (plastic)  
**matt chrome/\*\*\* <sup>2</sup>**




→ 115.907.KM.6 (plastic)  
**black/bright chrome <sup>2</sup>**




→ 115.906.SN.6 \* (stainless steel)  
→ 115.907.SN.6 (stainless steel)  
**stainless steel brushed/  
polished <sup>2</sup>**



→ 115.863.16.6 \*  
(stainless steel)  
**black matt/black \*\*\* <sup>2</sup>**



→ 115.906.DW.6 \* (stainless steel)  
→ 115.907.DW.6 (stainless steel)  
**black/matt black <sup>2</sup>**



→ 115.906.DW.6 \* (stainless steel)  
→ 115.907.DW.6 (stainless steel)  
**black/matt black <sup>2</sup>**



→ 115.906.DW.6 \* (stainless steel)  
→ 115.907.DW.6 (stainless steel)  
**black/matt black <sup>2</sup>**

→ 115.906.DW.6 \* (stainless steel)  
→ 115.907.DW.6 (stainless steel)  
**black/matt black <sup>2</sup>**

→ 115.906.DW.6 \* (stainless steel)  
→ 115.907.DW.6 (stainless steel)  
**black/matt black <sup>2</sup>**

→ 115.906.DW.6 \* (stainless steel)  
→ 115.907.DW.6 (stainless steel)  
**black/matt black <sup>2</sup>**

→ 115.906.DW.6 \* (stainless steel)  
→ 115.907.DW.6 (stainless steel)  
**black/matt black <sup>2</sup>**

→ 115.906.DW.6 \* (stainless steel)  
→ 115.907.DW.6 (stainless steel)  
**black/matt black <sup>2</sup>**

→ 115.906.DW.6 \* (stainless steel)  
→ 115.907.DW.6 (stainless steel)  
**black/matt black <sup>2</sup>**

→ 115.906.DW.6 \* (stainless steel)  
→ 115.907.DW.6 (stainless steel)  
**black/matt black <sup>2</sup>**

→ 115.906.DW.6 \* (stainless steel)  
→ 115.907.DW.6 (stainless steel)  
**black/matt black <sup>2</sup>**

**SIGMA20**  
• Dual flush  
• 246 mm x 164 mm



→ 115.882.KJ.1 (plastic)  
**white/bright chrome**



→ 115.882.JT.1 (plastic)  
**white matt/bright chrome\*\*\***



→ 115.882.KK.1 (plastic)  
**white/gold-plated**



→ 115.882.01.1 (plastic)  
**white matt/white\*\*\***



→ 115.882.DW.1 (plastic)  
**black/matt black**




→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***



→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***



→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***



→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***



→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***



→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***

→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***

→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***

→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***

→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***

→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***

→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***

→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***

→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***

**SIGMA21**  
• Dual flush  
• 246 mm x 164 mm



→ 115.884.SI.1 (glass)  
**white**



→ 115.884.JV.1 (concrete)  
**concrete**



→ 115.884.JX.1 (wood)  
**black walnut**



→ 115.884.JM.1 (slate)  
**Mustang slate**




→ 115.884.SJ.1 (glass)  
**black**



→ 115.884.00.1 (die-cast zinc)  
**customisable surface**



→ 115.884.00.1 (die-cast zinc)  
**customisable surface**



→ 115.884.00.1 (die-cast zinc)  
**customisable surface**



→ 115.884.00.1 (die-cast zinc)  
**customisable surface**



→ 115.884.00.1 (die-cast zinc)  
**customisable surface**



→ 115.884.00.1 (die-cast zinc)  
**customisable surface**

→ 115.884.00.1 (die-cast zinc)  
**customisable surface**

→ 115.884.00.1 (die-cast zinc)  
**customisable surface**

→ 115.884.00.1 (die-cast zinc)  
**customisable surface**

→ 115.884.00.1 (die-cast zinc)  
**customisable surface**

→ 115.884.00.1 (die-cast zinc)  
**customisable surface**

→ 115.884.00.1 (die-cast zinc)  
**customisable surface**

→ 115.884.00.1 (die-cast zinc)  
**customisable surface**

→ 115.884.00.1 (die-cast zinc)  
**customisable surface**



→ 115.650.SI.1 (glass)  
**red gold/white**



→ 115.650.JV.1 (concrete)  
**red gold/concrete\*\*\*\***



→ 115.650.JX.1 (wood)  
**red gold/black walnut\*\*\*\***



→ 115.650.JM.1 (slate)  
**red gold/Mustang slate\*\*\*\***



→ 115.650.SJ.1 (glass)  
**red gold/black**




→ 115.650.00.1 (die-cast zinc)  
**red gold/customisable surface**




→ 115.650.00.1 (die-cast zinc)  
**red gold/customisable surface**




→ 115.650.00.1 (die-cast zinc)  
**red gold/customisable surface**



→ 115.650.00.1 (die-cast zinc)  
**red gold/customisable surface**



→ 115.650.00.1 (die-cast zinc)  
**red gold/customisable surface**



→ 115.650.00.1 (die-cast zinc)  
**red gold/customisable surface**

→ 115.650.00.1 (die-cast zinc)  
**red gold/customisable surface**

→ 115.650.00.1 (die-cast zinc)  
**red gold/customisable surface**

→ 115.650.00.1 (die-cast zinc)  
**red gold/customisable surface**

→ 115.650.00.1 (die-cast zinc)  
**red gold/customisable surface**

→ 115.650.00.1 (die-cast zinc)  
**red gold/customisable surface**

→ 115.650.00.1 (die-cast zinc)  
**red gold/customisable surface**

→ 115.650.00.1 (die-cast zinc)  
**red gold/customisable surface**

→ 115.650.00.1 (die-cast zinc)  
**red gold/customisable surface**



→ 115.651.SI.1 (glass)  
**black chrome/white**



→ 115.651.JV.1 (concrete)  
**black chrome/concrete\*\*\*\***



→ 115.651.JX.1 (wood)  
**black chrome/black walnut\*\*\*\***




→ 115.651.JM.1 (slate)  
**black chrome/Mustang slate\*\*\*\***



→ 115.651.SJ.1 (glass)  
**black chr/black**



→ 115.651.00.1 (die-cast zinc)  
**black chr/customisable surface**



→ 115.651.00.1 (die-cast zinc)  
**black chr/customisable surface**



→ 115.651.00.1 (die-cast zinc)  
**black chr/customisable surface**



→ 115.651.00.1 (die-cast zinc)  
**black chr/customisable surface**



→ 115.651.00.1 (die-cast zinc)  
**black chr/customisable surface**



→ 115.651.00.1 (die-cast zinc)  
**black chr/customisable surface**

→ 115.651.00.1 (die-cast zinc)  
**black chr/customisable surface**

→ 115.651.00.1 (die-cast zinc)  
**black chr/customisable surface**

→ 115.651.00.1 (die-cast zinc)  
**black chr/customisable surface**

→ 115.651.00.1 (die-cast zinc)  
**black chr/customisable surface**

→ 115.651.00.1 (die-cast zinc)  
**black chr/customisable surface**

→ 115.651.00.1 (die-cast zinc)  
**black chr/customisable surface**

→ 115.651.00.1 (die-cast zinc)  
**black chr/customisable surface**

→ 115.651.00.1 (die-cast zinc)  
**black chr/customisable surface**



→ 115.652.SI.1 (glass)  
**brass/white**



→ 115.652.JV.1 (concrete)  
**brass/concrete\*\*\*\***



→ 115.652.JX.1 (wood)  
**brass/black walnut\*\*\*\***



→ 115.652.JM.1 (slate)  
**brass/Mustang slate\*\*\*\***




→ 115.652.SJ.1 (glass)  
**brass/black**



→ 115.652.00.1 (die-cast zinc)  
**brass/customisable surface**



→ 115.652.00.1 (die-cast zinc)  
**brass/customisable surface**



→ 115.652.00.1 (die-cast zinc)  
**brass/customisable surface**



→ 115.652.00.1 (die-cast zinc)  
**brass/customisable surface**



→ 115.652.00.1 (die-cast zinc)  
**brass/customisable surface**



→ 115.652.00.1 (die-cast zinc)  
**brass/customisable surface**





The Geberit actuator plate is the only part you see of the concealed cistern. It is a piece of design, a decoration item for your bathroom. At the same time it is functional and easy to clean. Whatever needs you have – there is the correct actuator plate.

## GEBERIT CONCEALED SOLUTIONS

# THE TRADITION OF HIDING CISTERNS

In solid and drywall construction, the Geberit concealed cistern is the heart of more than 70 million concealed installations in the bathroom or WC. Every detail of this product is ingenious and has been proven a million times over. Plumbers and endusers have trusted the one-piece leak-proof cistern from Geberit for more than 55 years.



55  
Years

#### EVENTFUL HISTORY

Geberit has more than 55 years experience in the field of concealed cisterns. Since 1964 Geberit is working on product improvement and has constantly developed the quality and functionality of the cisterns.

70  
Mio

#### TRIED AND TRUSTED

The Geberit concealed cisterns have been installed worldwide, more than 70 million times.



#### BEAUTIFUL DESIGN

A concealed solution with a wall-hung WC and beautiful actuator plates offers a lot of design options for your bathroom.



#### INNOVATIVE AND FUNCTIONAL DESIGN

Actuator plates are available in an easy-to-clean coated option, in a vandal-proof, screwable version and almost all Sigma actuator plates can be combined with an odour extraction unit.



#### WITHSTANDING HEAVY LOAD

The Geberit wall-hung solutions are designed and tested to withstand weights of 400 kg.



#### SAVING WATER

The water consumption can be sustainably reduced with a Geberit dual flush actuation for the WC.



#### OPENING SPACE

As soon as the sanitary technology hides behind the wall, a new feeling of space is created. A wall-hung solution offers more freedom in your bathroom.



#### EASY TO CLEAN

The fewer edges, joints and corners, the simpler to clean and more hygienic.

★★★★

#### PREMIUM QUALITY

All products from Geberit are known for their very high reliability and durability. Proven Swiss technology for decades.



#### LEAKPROOF

Every single cistern one-piece blow-mould and is tested on its leak-tightness before it is leaving the factory.

25  
Years

#### 25 YEARS SPARE PARTS AVAILABILITY

Geberit guarantees 25 years spare parts availability.



#### DIGITAL HELPERS

Easy planning with Geberit BIM data and ProPlanner. Recognising older products with the Pro App and directly ordering spare parts.



#### INSTALLATION SYSTEMS

Available for all Geberit installation systems: Duofix, GIS and Kombifix.



#### ELECTRIC CONNECTION

The cisterns are prepared for a hidden or visible electric connection in case you want to upgrade your WC.



#### GEBERIT AQUACLEAN SHOWER TOILETS


Perfectly prepared for the installation of Geberit shower toilets with innovative comfort-functions.



#### HYDRAULIC KNOW-HOW

Optimised hydraulics for a perfect wash-out of Geberit WC ceramics, with water-saving flushing.





## REASONS FOR WALL-HUNG CONCEALED SOLUTIONS

# THE CONCEALED ADVANTAGES




### SUSTAINABLE

A wall-hung solution needs much less cleaning agent than a floor-standing toilet. You are saving money and you are protecting the environment.



### HYGIENIC

A floor-standing toilet with an exposed cistern offers much more space that has to be cleaned than a wall-hung concealed solution. The latter has far less corners or edges where dirt, dust and hair can get stuck. Germs have nowhere to hide.



### TIME-SAVING

More hygienic does not mean that you need more time for cleaning the bathroom. On the contrary: with a wall-hung solution you clean the toilet much faster.



### CONCLUSION

Saving material and time for cleaning means: you save money. Especially in public and semi-public areas like hotels or office buildings this is important.



# GEBERIT SIGMA CISTERNS

## TOUCHING DESIGN

### STYLISH CALLING CARDS


The Geberit Sigma concealed cisterns not only offer numerous installation possibilities, but also the widest range of stylish actuator plates. Be it for single flush, dual flush or stop-and-go flush, mechanical, pneumatic or touchless actuation.



Sigma50 red gold / red gold brushed (art.no 115.670.QB.2)



Sigma21 black chrome / concrete (art.no. 115.651.JV.1)



Sigma80 black glass (art.no. 116.090.SG.1)



Geberit ONE WC ceramic, Geberit Sigma50 actuator plate, Geberit wall drain

### FUNCTIONAL BEAUTY

With Geberit Sigma cisterns not only style moves into your bathroom, but also functionality. With a prewall construction you gain space for cosmetics or other bathroom items. Another possibility to give your bathroom a personal touch.

### STATE-OF-THE-ART DESIGN

The Geberit Sigma concealed cisterns offer solutions to almost every building situation and to every design idea. Thus, it is possible to create extraordinary bathroom looks that meet all the requirements and expectations.



Geberit ONE WC ceramic, Geberit Sigma70 actuator plate, Geberit ONE washbasin and furniture, Geberit Option Plus mirror, Geberit ONE wall-mounted tap



GEBERIT SIGMA UPGRADES

# ADD THE ELEMENT WATER

## GEBERIT AQUACLEAN

Modern shower toilets are hardly to be recognised as such at first glance. Geberit offers diverse AquaClean WC models with a lot of features to choose from. If you do not want to remove the existing WC ceramic, there is the possibility to add an AquaClean seat as an enhancement solution.



### ODOUR EXTRACTION UNIT

Unpleasant odours are absorbed at once in the odour extraction unit. An active carbon filter eliminates odours before they spread. It starts automatically as soon as you sit down.



### WHIRLSPRAY SHOWER TECHNOLOGY

The patented WhirlSpray technology enables a particularly direct and thorough cleaning. The reason for this is a pulsating shower spray refined through dynamic aeration.



### DRYER

The dryer arm aligns itself automatically for optimum drying at the last position of the spray arm.



### HEATING THE WC SEAT

The ergonomically optimised WC seat made of high-quality thermoset is equipped with an integrated heating element. Thanks to the proximity sensor, the WC seat waits until someone approaches before heating up.



Geberit AquaClean Mera,  
Geberit Sigma50 actuator plate,  
Geberit One washbasin and  
furniture, Geberit One mirror cabinet,  
Geberit One wall-mounted tap



# GEBERIT SIGMA UPGRADES ADD THE ELEMENT AIR

## GEBERIT DUOFRESH

What is standard in kitchens should also be introduced to bathrooms. The Geberit DuoFresh module provides a slot for a ceramic honeycomb filter and an orientation light that is triggered by a motion sensor. The module is easily installed and can be equipped with almost any actuator plate from the Sigma range.



↑  
It's as simple as this:  
Just open the actuator plate at the side.



↑  
Insert the filter in the slot.



↑  
Close the actuator plate and enjoy the fresh  
air in your bathroom.



↑  
Geberit Smyle WC ceramic, Geberit actuator  
plate Sigma50 with DuoFresh module.

Geberit DuoFresh removes unpleasant odours right at the source. A ceramic comb filter purifies the air thoroughly and a fan conveys the cleaned air back into the room. An additional benefit offers a built-in LED orientation light. Just below the actuator plate a soft glow will guide you the way to the WC at night.



#### ACCESSIBLE

The ceramic honeycomb filter can be easily accessed via the actuator plate.



#### VISIBLE

An orientation light helps you at night to find your way.




#### EFFICIENT

The air is purified by the ceramic honeycomb filter.



#### QUIET

A quiet fan conveys the purified air back into the room.





GEBERIT SIGMA SPECIAL SOLUTIONS  
 EASILY  
 ACCESSIBLE

The Geberit installation elements offer solutions to almost any construction situation. In public areas, in healthcare, in hotels or even in private bathrooms the request for barrierfree applications can be covered with the Geberit Duofix element with a Sigma cistern and various WC ceramics with an extra long projection.



↑  
 111.350.00.5  
 Geberit Duofix element for a barrier-free solution. The frame-width is reduced for the placement of support handles next to the element.



↑  
 111.790.00.1  
 Geberit Duofix element with mounting plate for support handles.



↑  
 Another special feature of the Geberit concealed cisterns is the tool-free maintenance.

OPTIONS WITH GEBERIT SIGMA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenance	odour extraction	AquaClean connection
Geberit Sigma	x	x	x	x	x			x	x	x
Geberit Omega	x	x	x		x	x	x	x		x
Geberit Alpha	x	x			x	x	x			



Geberit Selnova WC ceramic with extra long projection, Geberit actuator plate Sigma10, Geberit Option mirror, Geberit Selnova Comfort washbasin, Geberit trap and shower drain.



# GEBERIT OMEGA CISTERNS SMALL AND POWERFUL



Geberit Xeno<sup>2</sup>, Geberit Omega60 actuator plate,  
top actuation with low height, Geberit CleanLine60

## FREEDOM OF PLACE

If you want to have a clean front view, Geberit Omega is offering the solution. Geberit Omega cisterns can be activated from the top.

## SMALL ACTUATORS

Beautifully designed small, elegant actuator plates: Omega20, Omega30 and the surface-even Omega60. Available in different styles and high-end materials.



Omega20 black matt coated / black (art.no. 115.085.16.1)



Omega30 matt chrome / bright chrome (art.no. 115.080.JQ.1)



Omega60 white glass (art.no. 115.081.SI.1)



The Geberit Omega concealed cisterns are designed for low-height situations. But it is also a good choice if you just prefer a smaller size of the actuator plate.

Geberit AquaClean Mera,  
Geberit Omega60 actuator plate,  
front actuation with standard height,  
Geberit CleanLine60.



GEBERIT OMEGA CISTERNS FOR LOW HEIGHTS

# SOLUTION PROVIDER IN NARROW SPOTS

Geberit Omega opens up unexpected opportunities when it comes to the design of your bathroom. Having the freedom of choice to install a top or a front actuation, there are no borders anymore to your creativity in bathroom design and the implementation of your ideas. Bottle-necks such as installations under windows and roof-pitches are elegantly mastered.



**THREE CISTERN HEIGHTS**  
The Geberit Omega concealed cistern can be installed at a height of 82 cm, 98 cm and 112 cm. No matter what installation height: the flush performance is outstanding. All the Omega cistern come with a water-saving dual flush system.

**FIT FOR ALMOST EVERY PREWALL**  
With a minimum depth of 12 to 14 cm for the front actuation (depending on the chosen element) and a minimum depth of 17 cm for the top actuation, the Geberit Omega concealed cistern fits into nearly any prewall. It can be connected to the water supply from the rear as well as from the side. Installing the cistern and mounting the actuator plate can both be completed without special tools.



**TOP OR FRONT – THAT IS THE QUESTION**  
Depending on the construction situation, the actuator plate can be installed on the top or front of the cistern. Whatever your bathroom looks like, you have the choice. The Omega cisterns are designed in such a way that both options can be chosen freely.

**TOOL-FREE MAINTENANCE**  
The Geberit Omega cisterns can be serviced without tools. This makes maintenance as easy as pie.

OPTIONS WITH GEBERIT OMEGA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenance	odour extraction	AquaClean connection
Geberit Sigma	x	x	x	x	x			x	x	x
Geberit Omega	x	x	x		x	x	x	x		x
Geberit Alpha	x	x			x	x	x			




# GEBERIT ALPHA CISTERNS


## STRIKING SIMPLICITY

Geberit Alpha concealed cisterns are offering a reduced scope of options but are nonetheless standing for high quality and reliability. The cisterns can be installed in either brick walls or drywalls. For standard bathroom requirements the perfect match.

Geberit Alpha actuator plates come in five designs in four different finishes. They are all made of high quality plastic.




Alpha01 bright chrome (art.no. 115.035.21.1)



Alpha20 white alpine (art.no. 115.035.11.5)



Alpha30 bright chrome (art.no. 115.055.21.1)



Alpha35 matt chrome (art.no. 115.045.46.5)



Alpha50 black (art.no. 115.060.DW.1)

Geberit Alpha50 actuator plate, Geberit Smyle WC, Geberit Smyle furniture, Geberit Smyle washbasin, Geberit Option mirror, Geberit Group magnetic board with storage boxes.





GEBERIT ALPHA CISTERNS

# THE NEXT GENERATION

Geberit Alpha concealed cisterns cover all needs for all sorts of installation situations. Be it narrow walls, low heights or standard applications. The cisterns and frames have been improved and the application fields have been widened.



**TWO CISTERN HEIGHTS**  
The Geberit Alpha concealed cistern can be installed at a height of 82 cm and 112 cm. All the Alpha cisterns come with a water-saving dual flush system.



**TOP OR FRONT ACTUATION**  
For low heights there is the option of choosing top actuation.

OPTIONS WITH GEBERIT ALPHA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenance	odour extraction	AquaClean connection
Geberit Sigma	x	x	x	x	x			x	x	x
Geberit Omega	x	x	x		x	x	x	x		x
Geberit Alpha	x	x			x	x	x			





## GEBERIT SIGMA



Geberit actuator plate Sigma70, Geberit WC and bidet iCon white matt, Geberit furniture iCon, Geberit lay-on washbasin white matt, Geberit Option mirror

## THE APPEARANCE IN FRONT OF THE WALL

# THE PERFECT MATCH

When you have defined the installation behind the wall, you take the next step and choose the ceramic appliances and the bathroom furniture. You are absolutely free to match every Geberit ceramic with every cistern.

Choose from a huge portfolio of Geberit WC and washbasin ceramics, perfectly aligned bathroom furniture designs, mirrors and other bathroom products that will help realising your own personal bathroom style.

A few suggestions to help you finding the perfect ceramic match for Geberit Sigma and Omega, that are suitable for almost any project type.




Geberit actuator plate Sigma70, Geberit Acanto WC ceramic,



Geberit actuator plate Sigma60, Geberit Citterio WC ceramic





GEBERIT OMEGA



Geberit actuator plate Omega60 top actuation, Geberit Xeno2 WC ceramic, Geberit CleanLine



Geberit actuator plate Omega20, Geberit Selnova WC and washbasin ceramic, Geberit CleanLine tileable



Geberit Alpha is a suitable solution for your project business and for price-sensitive building. Here a few suggestions to combine the matching ceramics.



GEBERIT ALPHA



Geberit actuator plate Alpha20, Geberit Smyle WC and washbasin ceramic, Geberit Option mirror, Geberit Cleanline (tileable)

Geberit actuator plate Alpha50, Geberit Selnova Square furniture, mirror cabinet, WC and washbasin ceramic



Find more on our Geberit ceramics, furnitures, bidets, mirrors and many more products for your bathroom on [virtual-showroom.geberit.com/gisa](https://virtual-showroom.geberit.com/gisa)




# CONCEALED CISTERNS OVERVIEW


## AT ONE **GLANCE**

### Geberit concealed cisterns


- Available in various dimensions and suitable for any construction situation.
- All models are equipped with a high-end flush valve and a top silent fill valve, exceeding Sound Class 1 requirements.
- Easy maintenance at any time through a service opening.
- Exceptional spare part security for all function-maintaining components for 25 years.



←  
**12 CM CISTERN-THICKNESS**  
In the wall or in front of the wall. Flushing actuation from the front. Choose either Sigma, Omega or Alpha 12 cm.




←  
**8 CM CISTERN-THICKNESS**  
Solution for thin wall constructions or for space-saving installation in front of the wall, flush actuation from the front. Choose either Sigma or Alpha 8 cm.



←  
**LOW-HEIGHT SITUATIONS**  
Solution for low-height installation with element heights 82 cm, choose either Omega or Alpha. For a height of 98 cm go for Omega.


Whether it be under windows or sloping roofs, in a corner or on a free-standing wall, systems and products from Geberit give you practically unlimited possibilities. Installations behind the wall lend elegance and increased space; part-height prewall installations offer additional storage possibilities.

### SOLID WALL INSTALLATION



Geberit Kombifix installation elements are exclusively suitable for solid construction. They must be fastened in front of or inside a solid wall and then subsequently brick lined.

### DRYWALL INSTALLATION



Geberit Duofix installation elements are suitable for all drywall construction situations with a drywall system. It is possible to create complete room-height prewalls or partition walls.



CONCEALED CISTERNS OVERVIEW


# GEBERIT SIGMA

AT ONE GLANCE



Article number	<div>NEW</div> 111.900.00.5	111.300.00.5	111.350.00.5	111.796.00.1	110.350.00.5 110.340.00.5*	110.792.00.1	109.300.00.5**	109.791.00.1**
Cistern thickness***	12 cm	12 cm	17 cm	8 cm	12 cm	8 cm	12 cm	8 cm
Cistern height	112 cm	112 cm	112 cm	114 cm	108 cm	109 cm	108 cm	119 cm
For solid construction	×	×	×	×	×	×	×	×
For drywall construction	×	×	×	×				
Wall-hung-ready (fixation for wall-hung ceramic included)	×	×	×	×	×	×		
For top actuation								
With conduit pipe for Geberit AquaClean	×	×	×	×	×	×		
Power & Connect box <div>NEW</div>	×							
Tool-free maintenance	×	×	×	×	×	×	×	×
Barrier-free solution			×					

Dimensions



\* With leg supports  
\*\* Can be cut to length  
\*\*\* Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.

CONCEALED CISTERNS OVERVIEW


# GEBERIT OMEGA

AT ONE GLANCE



Article number	111.060.00.1	111.030.00.1	111.003.00.1	110.020.00.1	110.011.00.1	110.001.00.1	109.060.00.1	109.050.00.1	109.043.00.1
Cistern thickness*	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm
Cistern height	112 cm	98 cm	82 cm	106 cm	98 cm	82 cm	106 cm	98 cm	82 cm
For solid construction	x	x	x	x	x	x	x	x	x
For drywall construction	x	x	x		x	x			
Wall-hung-ready (fixation for wall-hung ceramic included)	x	x	x	x	x	x			
For top actuation		x	x		x	x		x	x
With conduit pipe for Geberit AquaClean	x	x	x	x	x	x			
Tool-free maintenance	x	x	x	x	x	x	x	x	x
Barrier-free solution									

Dimensions



\* Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.



CONCEALED CISTERNS OVERVIEW


# GEBERIT ALPHA

AT ONE GLANCE



Article number	458.233.00.2	458.212.00.1	110.233.00.2 110.231.00.2*	109.212.00.1	110.175.00.1 110.174.00.1*	109.233.00.2**	109.212.00.1	109.175.00.1**
Cistern thickness***	12 cm	12 cm	12 cm	12 cm	8 cm	12 cm	12 cm	8 cm
Cistern height	112 cm	82 cm	106 cm	82 cm	109 cm	110 cm	82 cm	110 cm
For solid construction	x	x	x	x	x	x	x	x
For drywall construction	x	x						
Wall-hung-ready (fixation for wall-hung ceramic included)	x	x	x	x	x			
For top and front actuation		x		x			x	

Dimensions



\* With leg supports  
\*\* Can be cut to length  
\*\*\* Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.

**Geberit International Sales AG**  
CH-8640 Rapperswil  
Switzerland

[sales@geberit.com](mailto:sales@geberit.com)

[www.geberit-global.com](http://www.geberit-global.com)

 **GEBERIT**